HITACHI

FLORA 210W NL3

(Microsoft® Windows® 2000 Professional Operating System)

4

□□□□□□□□□□

□□ □□□□□□□□□□

□□ □□□□□□□□□□

□□ □□□□□□□□□□□□□□

□□ □□□□□□□□□

□□ □□□□ Q&A

□□□□□□□□□□□□□□□□□□□□□□□□

□□

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□

目 次

1章 ネットワークの設定 5
ネットワークの概要 6
[ネットワーク]画面 6
ネットワークの設定 7
ネットワークの詳細設定 8
ネットワークの接続 9
ネットワークの接続 9
ネットワークの切断 9
ネットワークの確認 11
ネットワークの共有 12
ネットワークの共有の概要 12
[共有]画面 12
[ネットワークの共有]画面 13
ネットワークの共有[共有]画面の詳細設定 13
ネットワークの詳細設定 15
Windowsのネットワークの詳細設定 15
ネットワーク(IRQ)とI/Oの詳細設定 16
ネットワークの診断 17
ネットワークの診断 17
BIOSの詳細設定 18
ネットワークの診断 19
ネットワークの診断結果 21
ネットワークの診断 21
ネットワークの診断結果の詳細 22
ネットワークの診断結果の詳細 23
ネットワークの診断結果の詳細 23
Wake on LANの設定 24
Wake on LANの設定 24
Wake on LANの解除 24
ネットワークの詳細設定 25

2章 ネットワークの設定 27
ネットワーク 28
ネットワーク 28
ネットワーク 29
ネットワーク 29
ネットワーク 30

□□□□□□□□□□ 32
□□□□□□□□□□□□□□ 34
□□□□□□□□□□□□□□□□ 34
□□□□□□□□□□□□□□□□ 34

3□ □□□□□□□□□□□□ 35
□□□□□□□□□□□□ 36
LAN□□□□ 36
□□ LAN□□□□ 36
□□□□□□□□ 36
□□□□□□ 36
AirH'IN□□□□ 37
□□□□□□□□□□ 37
□□□□ LAN□□□□□□□□ 37
□□□□□□□□□□□□□□□□ 39
AirH'IN□□□□□□ 39
□□□□□□□□□□□□□□□□ 39
VirusScan 40
□□□□□□□□□□□□□□ 41
BEAMSTAR□□□□□ 41
□□□□□□□□□□ 41
Norton Ghost 2002 41
SLIMTEGAKI□□□□□ 41
Office XP 42
Acrobat Reader 42
CyberSupport for HITACHI 42
□□□□□□□□□□ 43
Windows□□□□□□ 43
□□□□□□□□ 47

4□ □□□□□□□ 49
□□□□□□□□□□□□□□□□□□□□ 50
□□□□□□□□□□□□□□□□□□ 51
□□□□□□ 51
□□□□□□□□ 53
LAN□□□□ 54
□□□□□□□□□□ 55
□□ LAN□□□□ 56
DMA□□ 57
□□□□□□□□□□□□□□□□□□ 58
□□□□ LAN□□□□□□□□ 58
□□□□□□□□□□□□□□□□ 59
VirusScan 59
□□□□□□□□□□ 61
Norton Ghost 2002 61

Acrobat Reader 62
CyberSupport for HITACHI 62
Windows 63

5 Q&A 65
. 66
. 70
. 71
. 72
CD-ROM 72
FD 73
. 74
HDD 74
. 75
. 76
. 77
. 80
. 84
. 86

. 87
. 88

. 89

1

□□□□□□□□□□□□□□

□□□□□□□□□□□□□

[ ]

 ([ ])
 ([ ])
 ([ ])
 ([ ])

1 [ ] [ ]

2 [ ] [ ]

3


ボタン
ポインタ
動作
ハードウェア
デバイス設定
ボタンの選択
左ボタン
通常の選択
通常のドラッグ
右ボタン
コンテキスト メニュー
補助ドラッグ
ファイルおよびフォルダ
ポイントして選択し、シングルクリックで開く(S)
シングルクリックで選択し、ダブルクリックで開く(D)
ダブルクリックの速度(E)
動作テスト
遅く
速く
OK
キャンセル

4 [OK]

□□□□□□□□□□□□□□□□

1 [□□□□□□□□□□] □ [□□] □□□□□□□□□□

2 [□□] □□ □ [□□] □□□□ [□□] □□□□□□□□□□□□

□ □□□□□□□□□□□□□□□□□□□□□□□□


マウスのプロパティ
ボタン
ポインタ
動作
ハードウェア
デバイス設定
速度(S)
ポインタの動く速さを調節します
遅く
速く
加速
ポインタをすばやく動かしたときに、どれだけ加速するかを調節します
なし(N)
遅く(L)
中(M)
速く(H)
既定のボタンに移動(D)
ダイアログ ボックスの既定のボタンにマウス ポインタを移動させる
OK
キャンセル

3 [OK] □□□□□□□□□□□□

□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□

■[Fn]+[F6]( )

[Fn] [F6]

■[Fn]+[F7]( )

[Fn] [F7]

[ ]

[ ]

1 [ ]

[ ]

2 [ ]

[ ]

ヒント

★

□□□□□□□□□□□□□□□□

1 [□□□□□□□□]□ [□□]□□□□□□□□□□□□□□□

1024 × 768)

1

[ ] [ ] [ ]

2

[ ] [ ] [ ]

[OK] ([ ])

3

[ ] [ ]

重要

- 60Hz
- 60Hz

□□□□□□□

□□□□□□

[ ]

1 [ ]

2

ボリューム コントロール
オプション(P) ヘルプ(H)
ボリューム コントロール
バランス:
音量
WAVE
バランス:
音量
SW シンセサイザ
バランス:
音量
全ミュート(M)
ミュート(M)
ミュート(M)
Realtek AC97 Audio

[ ]

1 [ ] - [ ] - [ ]

2 [ ]

3 [ ] [ ]


サウンドとマルチメディアのプロパティ
サウンド
オーディオ
ハードウェア
サウンド イベント(S):
Windows
Windows の起動
Windows の終了
アプリケーション エラー
アプリケーションの起動
アプリケーションの終了
名前(N):
なし
サウンド設定(C):
名前を付けて保存(E)...
削除(L)
音量(V)
低
高
タスク バーにボリューム コントロールを表示する(T)
OK
キャンセル

ヒント

★ [ ] - [ ] - [ ] - [ ]

★ [ ] [ ]

重要

◎ [ ] [ ] [ ] [ ]

4 [OK]

□□□□□□□□□□

□□□□□□□□□□□□□□ CPU□□□□□□□□□□□□

Windows□□□□□□□□□□□□□□□□□□□□

1 [□□□□□□□□□□]□□□□□□□□□

2 [□□□□□]□□□□□□□□□□□□□□□□□□



□ [□□□□□□□□□□□]□□□□□□□□□□

3 □□□□□□□□□□□□□□

4 [OK]□□□□□□□□□□□□□□

□□□□□□□ (IRQ)□ I/O□ □□□□
□□□□□□□

1 [□□□□□□□□□□□□]□□□□□□□

2 [□□□□□□□]□□□□□□□□□□□[□□□□□□□□□□]□□□□□□□□□□□□□

□ [□□□□□□□□□□]□□□□□□□□



3 [□□]－[□□□□ (□□□)]□□□□□□□□□□□

□ □□□□□□□□□□

4 [□□□□□□ (IRQ)]□□□ [□□□ (I/O)]□□□□□□□□□□□□

□ □□□□□□□□□□□□□□□□□□□□□





BIOS

BIOS

Supervisor Password

BIOS

BIOS

User Password

BIOS

Supervisor Passsword

BIOS

[Main]	[SystemTime] [SystemDate]
[Advanced]	[Display] [Resolution Expansion]
[Security]	[Set User Password] [Set Hard Disk Password]*1 *1[Change Hard Disk Password] [Enabled]
[Boot]	
[Exit]	[Exit Saving Changes] [Exit Discarding Changes]

Hard Disk Password

Change Hard Disk Password Enable

HDD HDD

重要

◎

参照

→

重要

◎

◎ BIOS

◎ User Password

重要

◎ Hard Disk Password

BIOS

BIOS

1

Press <F12> to enter Boot Menu[F2]

BIOS



2

[←][→][Security]

[Security]

重要

◎ Password on boot Set Supervisor Password Hard Disk Password Hard Disk Password



□ □ □ □ □ □ □ □ □ □

1 [↑]□□□□[↓]□□□□□[Set Supervisor Password]□□□□[Enter]□□□□□□

□ □□□□□□□□□□□□□□□□□□



2 □□ 8□□□□□□□□□□□□□□□□□

4 [Enter]

[Security]



5 [Enter] 2

[Esc]

6 [Set User Password] [Password on boot] [Set Hard Disk Password]

BIOS

1 [Esc]

[Exit]

2 [↑] [↓] [Exit Saving Changes] [Enter]



3 [←] [→] [Yes] [Enter]

BIOS

ヒント

★ [No] [Enter]

□□□□□□□□□□□□□

1 BIOS□□□□□□□ [Security]□□□□□□□□

2 [Set Supervisor Password]□□□ [Set User Password]□□□□[Enter]
□□□□□□

3 [Enter Current Password]□□□□□□□□□□□□□□□□□□□□□□□□□□□□
[Enter]□□□□□□

□ □□□□□ [Enter New Password]□□□□□□

4 □□□□□□□□□□□□□□□□□ 8 □□□□□□□□□□□□□□□□□□
□□□□□□□□□□□[Enter]□□□□□□

5 □□□□□□□□□ BIOS□□□□□□□□□□

□□□□□□□□□□

1 BIOS□□□□□□□ [Security]□□□□□□□□

2 [Set Supervisor Password]□□□ [Set User Password]□□□□[Enter]
□□□□□□

3 [Enter Current Password]□□□□□□□□□□□□□□□□□□□□□□□□□□□□
[Enter]□□□□□□

□ □□□□□ [Enter New Password]□□□□□□

4 □□□□□□□□□□□□□□□□□ [Enter]□□□□□□

□ □□□□□□□□□□□□

5 □□□□□□□□□ BIOS□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

HDD□□□□□□□□□□□□□□□□□□□

7 [Change Hard Disk Password] [Disabled]

[Change Hard Disk Password] [Disabled] User Password BIOS Hard Disk Password Hard Disk Password Supervisor Password [Change Hard Disk Password] [Disabled]

1 [Set Hard Disk Password] [Enter]

[Change Hard Disk Password] [Enabled] [Set Hard Disk Password]

2 [Enter Current Password] [Enter]

[Enter New Password]

3 8 [Enter]

4 BIOS

1 [Set Hard Disk Password] [Enter]

[Change Hard Disk Password] [Enabled] [Set Hard Disk Password]

2 [Enter Current Password] [Enter]

[Enter New Password]

3 [Enter]

4 BIOS

Wake on LAN

Wake on LAN

Wake on LAN

Wake on LAN

Windows

Wake on LAN

1

2 [ ] [ ] [Realtek RTL8139/810x Family Fast Ethernet NIC]

[Realtek RTL8139/810x Family Fast Ethernet NIC]]

3 [ ] [ ] [ ] [ ]

4 [ ] [WakeUp on ARP/PING] [ ] [Disable]

[OK]

[illegible]

[illegible]

1 [illegible]

[illegible]Press <F12> to enter Boot Menu[illegible]
[illegible][F2][illegible]

- BIOS[illegible]

2 [←][illegible][→][illegible][Boot][illegible]

- [Boot][illegible]

3 [↑][illegible][↓][illegible][Boot Sequence][illegible][Enter][illegible]

- [Boot Sequence][illegible]



4 [illegible][↑][illegible][↓][illegible][SPACE][illegible]

- [illegible]1[illegible]

5 [illegible]4[illegible]

2

□□□□□□

CPU□ HDD□□□□□

□□□□

□□□

□□□□□

□□□□

2 [ ]

[Fn] [F12]

3 [ ]

ヒント

★ [ ]

★ ( ) [ ]

□□□□□□□□□

□□□□□□□□

[illegible]

[illegible]

重要

- [illegible] FD [illegible] CD-ROM [illegible] [Ctrl] [illegible] [Alt] [illegible] [Delete] [illegible]
- [illegible]

□□□□□□□□□□□□

□□□□□□□□□□□

3□

□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□□□□□□

Windows

■[ ]

1024 × 768

LCD

■[ ]

AirH"IN

AirH"IN

AirH"IN

LAN

LAN

LAN

重要

◎

ヒント

★ Office Windows ( )

★ USB

1.[ ] [ ]

2.[Synaptics Touch Pad] [ ]

□□□□□□□□□□□□□□

□□□□□PC-CNB300□□□□□□□□□□□□□

● WEP128
(1) [WEP] [128bit]
(2) [ ]
PC-CNB300 ASCII
(3) [ ] PC-CNB300 0
(4) (3)

9

LAN LAN

AirH"IN

AirH"IN
AirH"IN

USB-HDD User Password

1 c:¥hitachi¥programs¥cradle Password Utility.exe

2 Password Utility.exe

3 [ ] User Password

参照

[ ]

重要

◎ USB-HDD
USB-HDD
User Password Supervisor Password USB-HDD
Supervisor Password
USB-HDD
Hard Disk Password
USB-HDD
User Password Hard Disk Password

VirusScan

Windows

- VirusScan :
- VShield :
- VirusScan : VirusScan

VirusScan

- VirusScan VirusScan MC VirusScan
  http://www.hitachi.co.jp/Prod/comp/OSD/vakzin/mcc/vakzin_mcc.htm
- VirusScan [McAfee VirusScan] [VirusScan] Administrator VirusScan Administrator VShield [ ] [ ] [ ]
- VirusScan [McAfee VirusScan] [ ] [ ] [ ]
- VirusScan [ ]
- VirusScan [McAfee VirusScan] [VirusScan] VirusScan Administrator VShield [ ] [ ] [ ]
- VShield [ ] [ ] [ ]

参照

VirusScan Readme.txt

□□□□□□□□□□□□□□

□□□□□□□□□□□□□

Office XP

Microsoft Office XP
(Word Excel Outlook) Microsoft Office XP
Office XP
Microsoft Office XP CD-ROM CD-ROM

Acrobat Reader

PDF

CyberSupport for HITACHI

重要

◎ Microsoft Office XP
(Office XP CD Office
XP
Office XP
Office XP

参照

→ Windows
2

参照

→ Windows
2

Windows

HDD
[ ]
Wave

CD-ROM
HDD
NTFS :
HDD
HDD
[ ]
[ ] [[ ]]
[ ]
Explorer.exe
(GPF) [ ]
[[ ]] [ ]

□□□□

□□□

[illegible]

[illegible]

[illegible]

[illegible]

- [illegible] - [illegible] [Video Renderer] [illegible] [illegible] [DirectDraw] [illegible] [YUV] [RGB] [YUV] [RGB] [illegible] [illegible] [illegible]

- Word [illegible]

[illegible] OpenGL [illegible] 3D [illegible] IME2002 [illegible]

- OpenGL [illegible] OpenGL [illegible]

[illegible]

- Windows 3.1 [illegible] Windows NT 4.0 [illegible] TrueType [illegible] TrueType [illegible]

□□□□□□□□

□ TELNET: □□□□□□□□

4

□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

6 [ ] [ ]

7 [ ] c:¥hitachi¥drivers¥2k¥svga
[OK]

[ ]

8 [ ]

9 [Silicon Motion Lynx3DM] [ ]

10 [ ]

11 [ ] [ ]

[ ]

12 c:¥hitachi¥drivers¥2k¥svga¥videocp¥setup [OK]

[ ]

13 [ ]

[ ]

14 [ ]

[ ]

15 [ ]

16 [ ]

17 [ ]

ヒント

★
1024 × 768
High Color
16

参照

→ 1
(P. 10)

ヒント

★
ON

参照

→ 3 [ ]
[Lynx3DM+] (P. 36)

□□□□□□□□□

1 □□□□□□□□□

LAN

1

2 [ ] [ ] [Realtek RTL8139(A)-based PCI Fast Ethernet Adapter]

- [Realtek RTL8139(A)-based PCI Fast Ethernet Adapter] [ ]

3 [ ] [ ] [ ]

- [ ]

4 [ ]

- [ ]

5 [ ] [ ] [ ]

- [ ]

6 [ ] [ ] [ ]

- [ ]

7 c:¥hitachi¥drivers¥2k¥lan [OK]

- [ ]

8 [ ]

- [ ]

9 [ ]

10 [Realtek RTL8139/810x Family Fast Ethernet NIC] [ ] [ ] [ ]

ヒント

★ LAN / Auto Mode HUB HUB Link Speed / Duplex Mode

★ [ ] [ ] [ ] [ ] [ ]

□□□□□□□□□□

1 □□□□□□□□□□

□□ LAN□□□□□

1 □□□□□□

DMA

IDE (DMA PIO)
DMA
DMA

1

2 [ ] – [ ] – [ ]

3 [ ] [ ] [ ]
[ ]

[ ]

4 [IDE ATA/ATAPI]

[IDE] [IDE]

5 [IDE]

[IDE]

6 [ ] [ ] [DMA( )] [OK]

PIO [ ] [PIO]

□□□□

4 [ ]

[ ]

5 [ ]

[ ]

6 [ ]

[InstallShield]

7 [ ]

[InstallShield]

8 [ ]
[ ]

重要

◎

1 [ ] - [ ]

[ ]

2 c:¥hitachi¥programs¥netchg¥setup [Enter]

3

VirusScan

1

2 [ ] - [ ]

[ ]

3 c:¥hitachi¥programs¥vscan¥setup [OK]

[ ]

4 [ ] □□□□□□□□□□□□□□

□ [ ] □□□□□□□□□□

5 [ ] □□□□□□□□□ [ ] □□□□□□□□

□ [ ] □□□□□

6 [ ] □□□□□□□□□ [ ] □□□□□□□□

□ [ ] □□□□□□□□□□

7 [ ] □□□□□□□□□ [ ] □□□□□□□□□□□□□□

□ [ ] □□□□□□□□□□

8 [ ] □□□□□□□□□□□□□□

□ [ ] □□□□□□□□□□□□□□ [McAfee VirusScan] □□□□□□□□□

9 □□ □□□□□□□□□□□□□□

[redacted]

1 [redacted]

[redacted]

2 c:¥hitachi¥programs¥internetmarks¥npime011 [redacted] [OK] [redacted]

[redacted]

3 [redacted]

Norton Ghost 2002

1 [redacted] – [redacted]

[redacted]

2 c:¥hitachi¥programs¥ghost¥install¥setup [redacted] [OK] [redacted]

[redacted]

3 [redacted]

[redacted]

4 [redacted]

[redacted]

参照

Norton Ghost 2002[redacted] → c:¥hitachi¥programs¥ghost¥Readme.txt [redacted] c:¥hitachi¥programs¥ghost¥Documents¥Ghost_guide.pdf

Acrobat Reader

1 [ ] - [ ]

- [ ]

2 c:¥hitachi¥manual¥install¥ar505jpn [OK]

- [Adobe Acrobat 5.0.5]

3

- [ ]

4 [OK]

CyberSupport for HITACHI

1 [ ] - [ ]

- [ ]

2 c:¥hitachi¥manual¥install¥cybersupport¥setup [OK]

3 CyberSupport for HITACHI ?[ ]

- CyberSupport

4 [ ]

-

Windows

Windows

1 [ ] – [ ] – [ ]

2 [ ] [ ]

3 [Windows] [ ]

4 1 [ ] [OK]

5 [ ]

5

QSA

□□□□□□□□□□□□□□

Q

□□□□□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□

[ ] - [ ] - [ ]
[ ] [ ]
[ ]

Q
[ ]

A
[ ]
1
[ ]
2 [ ]
3 [ ] - [ ] - [ ] [ ]]
4 [ ] [ ]



5 [ ] [ ] - [ ]

Q
[ ]

A
[ ]
1 [ ] - [ ]
&

Q

A
1 [ ]
- [ ]



[ ]
1 [ ]

2 [ ] [ ] &

1 [ ] [ ] [ ]

Q

A

1 [ ] [ ] - [ ]

2 [ ] [ ]

3 [ ] [OK]



Q

A

1 bmp C:¥Windows

2 [ ] [ ]

3 [ ]

4 [ ] [ ] [OK]



5 [OK]

Q

A

1 [ ] [ ]

2 [ ] [ ] [ ] [ ] [ ] [ ]



3 [OK] [ ]

4 [ ]

1 [ ] [ ]

2 [ ] [ ] [ ]

1 [ ] [ ] [ ] [ ]

2 [ ] [ ] [ ]

[OK]



Q

□□□□□□□□□□□□□□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□□□

Q

A

参照
→ 1 (P. 12)

参照
→ 3 (P. 36)

1 [ ] [ ]
2 [ ] [ ] [ ]
3 [ ]

Q

A

1 [ ] [ ]
2 [ ] [ ] Windows



Q

A

Windows

[ ] [ ] [ ]

CD-ROM

Q

A

参照

→ 2

Q

A

[ ] [ ]

[ ] [ ]

[ ]

Q

A

CD-ROM

Q

CD-ROM

A

CD-ROM Macintosh CD-ROM

CD-ROM

CD-R CD-RW

Q

CD-ROM Not Ready

A

CD-ROM

FD

Q

FD

A

[ ] [3.5 FD]

Q

FD

A

FD 720KB 1.25MB 1.44MB FD

Macintosh FD

FD

FD FD

Q

FD

A

FD FDD FDD FD

FD FD FD FD

参照
→ 3

参照
→ 2

□□□□□□□□□

Q

FDD□□□□□□□□□□□□□□□□□□□□

A

□FD□□□□□□□□□□□□ □□FD□□□□□□□□□□□□□[□□ □□□□□□ □]□□[3.5□□□ FD]□□□□□□□□□□□□□□□□□□□□ FD□□□□□□□□□ □□□□□□

Q

HDD□□□□□□□□□□□□□□□□□□□□

A

□HDD□□□□□□□□□□□□[□□□□□□□□]□□□□□□ HDD□□□□□□□ □□□□□□□□□□□□□□□□□[□□□□□□□□]□□[□□□□□□□□□]□□ HDD□□□□□□□□□□□□□□□[□□□□□□]□□[□□□□]□□□□□□□□□□ □□□□□□□□□

HDD□□□□□

Q

HDD□□□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□□□

MO

Q

1 HDD

A

( )

Q

HDD

A

HDD

Q

A

LAN

Q

LAN

A

LAN ?

(wep)

Q

LAN

A

HUB (/) HUB 10BASE-T/ 100BASE-TX

HUB

100BASE-TX 100BASE-TX

LAN

参照

→ Windows 3

参照

→ 2

参照

→ 3 LAN (P. 37)

□NetWare□□□□□□□□□□□□□□□□□□□□□□□□□□□□□IPX/SPX□□□□
□□□□□□□□□□□□□□□NetWare□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□auto□□□□

Q

**10BASE5/10BASE-T□□□□□□□□□□□□□□□□□□□

1 [ ] - [ ] - [ ]
2 [ ] [ ]
3 [ ]
[ ]
4

Q

CD-ROM

A

1 [ ]
2 [ ]
3 [ ] [ ]
4 [ ]

Q

A

ID

1 [ ] [ ]
2 [ ] [ ]
[ ]

3



1[ ]- [ ]- [ ]

2[ ]

3[ ] [ ]

4[OK] [ ]

5[ ] [ ] [ ]

6[ ] [ ]

IP TCP/IP

1[ ]- [ ]- [ ]

2[ ]

3[ ]- [ ]

4[ ] [(TCP/IP)] [ ]

5IP

Q

A

1 [Internet Explorer] [ ]

2[ ] [ ] [ ]

3 [ ]

4[ ]



Outlook Express [ ]

Q

A

Q

A

URL

URL

HDD

HDD

1 [ ] - [ ] - [ ] - [ ] - [ ]

2 [OK]

3 [ ] / [OK]



4 [ ]

URL

1 [Internet Explorer] [ ]

2 [ ] [Web] [ ]

3 [ ] [ ]

4 [ ]

5 [ ] [OK]

□□□□□□□□□□□□□□□□

1 [□□□□□]□□□□－[□□]－[□□□□□□□□□□□□]□□□□□□□

2 [□□□□□□□□□□□□□□□□]□□□□□[□□□□]□□□□□□□□□□□□□□□□

Q

A

1 [ ] - [ ]

2 [ ] [ ]

3 [ ] [ ] [Internet Explorer] [ ]



1 [ ] - [ ]

2 [ ] [ ] [OK]

HDD

1 [ ] - [ ] - [ ] - [ ] [ ] [ ]

2 [OK]

3 [ ] / [OK]



4 [ ]

Q

A

1 [ ] - [ ] - [(JIS)] [( )]

1 [ ] - [ ]
2 [ ] [ ]
3 [[ja]] [ ] [[ja]] [ ] [[ja]] [OK]



Q

A

1 [Internet Explorer] [ ]
2 [ ] [ ]
3 [ ]



1 [ ] - [ ]
2 [ ] [ ]

3 [OK]



ActiveX Java

1 [ ] – [ ]

2 [ ] [ ]

3 ActiveX [ ] Java [Java]

4 [OK]



Q

A

1

2 [ ] – [ ] [OK]

3 [ ] – [ ]

4 [ ] [ ]

5 [ ] [XXX]

6 [ ]

7 [ ] [OK]



8 [ ]

Q

A

(POP3) (SMTP)

1 Outlook Express [ ] − [ ]
2 [ ] [ ]
3 [ ] (POP3) (SMTP)
4 [OK]

Q

A

Q

A

Outlook Express [ ] − [ ] − [( )]

MIME Base 64

Q

A

Outlook Express

1 [ ] – [ ] – [ ] [

] [ ]

2 [1.] [

] [ ]

3 [3.] [ ]



4 [ ] [ ] [ ] [

] [OK] 2 [

]



5 [2.] [ ] [3. ( )] [

]

6 [ ] [OK]

7 [4.] [OK] 2

□□□□□□□□□□□□□□

Q

□□□□□□□□□□□□□

□ □

[illegible]

[illegible] HITAC [illegible]

参照

HITAC [illegible] → [illegible]

[illegible]	[illegible]	[illegible]	FAX [illegible]
Microsoft Office XP	[illegible]	03-5354-4500 06-6347-4400	[illegible]
AOL	AOL [illegible]	0120-275-265	[illegible]
BIGLOBE	BIGLOBE [illegible]	0120-86-0962	[illegible]
[illegible]	[illegible]	0120-5656-86	045-222-8561
isao	isao [illegible]	0570-057-050	[illegible]
OCN	OCN [illegible]	0120-047-815	[illegible]
ODN	ODN [illegible]	0088-86 ([illegible]) 0088-85 ([illegible])	0088-22-8850
[illegible]	TTnet [illegible]	0081-1588	[illegible]
[illegible]	[illegible] [illegible] [illegible] G	e-mail: internet-marks@mh.itg.hitachi.co.jp e-mail [illegible]	
SLM-TEGAKI [illegible]	HITAC [illegible]	0120-2580-91	[illegible]
Norton Ghost 2002			
Acrobat Reader			
CyberSupport for HITACHI			

※ [illegible]
※ [illegible]
※ [illegible]

索引

A

Acrobat Reader 42, 62

B

BEAMSTAR 41
BIOS 18
Boot Menu 25

C

CyberSupport for HITACHI 42, 62

H

HDD 28

I

I/O 16
IRQ 16

L

LAN 36, 54

N

Norton Ghost 2002 41, 61

O

Office XP 42

S

Security 18
SLMTEGAKI 41

V

VirusScan 40, 59, 86
VShield 86

W

Wake on LAN 24
Windows 15
Windows 63

あ

58

い

77
41, 61

う

12

え

28

か

51, 58

き

36, 53

く

15

け

28

こ

55
7

さ

63

し

28

す

51

せ

17

そ

51, 36

た

36
80

ち

13

つ

8

て

LAN 36

と

84
15

な

11

に

16

Microsoft Windows Microsoft Corp.

2003 2

243-0435 810
HCA 0120-2580-91

Copyright © Hitachi,Ltd. 2003. All rights reserved.

NL0334000-1

HITACHI FLORA 210W NL3 使い勝手を良くする

HITACHI

NL0334000-1